



**The Leading Manufacturer
of Non-Marring,
Non-Sparking Hammers,
Proudly Made in the USA,
Since 1956.**



**NEW!
12" Fiberglass Handle**



ABC Dead Blow Hammers



Pound for Pound, the World's Greatest Hammers



Brass STRIKING HAMMERS

Our brass hammer line is the most durable hammer we offer.

Our Brass Hammers are the most durable hammers we offer and should always be used in place of steel hammers in any metal working application. Our non-marring soft brass head helps absorb impact and helps reduce or eliminates work damage. They are non-sparking for safe use near combustible materials.

Tennessee Hickory Handles provide exceptional strength, ergonomics, balance and shock absorption. Our wood handles are specially tapered, fire finished, lacquered and have a non-slip safety grip.


Striking Hammers are also available in Bronze/Copper. Please see page 9.



ABC1BW - 1 lb / 0.45kg - 10" handle



ABC2BW - 2 lb / 0.90kg - 12.5" handle



ABC3BW - 3 lb / 1.35kg - 12.5" handle



ABC4BW - 4 lb / 1.80kg - 15" handle



ABC5BW - 5 lb / 2.25kg - 15" handle

Brass STRIKING HAMMERS

Our brass hammer line is the most durable hammer we offer.




Also available: Our new 12" fiberglass handle with a complete polypropylene over-mold.

Fiberglass Handles

provide exceptional breaking resistance to overstrikes, are long-lasting and are colored in high-visibility yellow. Our fiberglass handles have a non-slip safety grip.


Striking Hammers are also available in Bronze/Copper. Please see page 9.



ABC2BFB - 2 lb / 0.90kg - 12" handle



ABC2BF - 2 lb / 0.90kg - 14" handle



ABC3BFB - 3 lb / 1.35kg - 12" handle




ABC3BF - 3 lb / 1.35kg - 14" handle



ABC4BFB - 4 lb / 1.80kg - 12" handle



ABC4BF - 4 lb / 1.80kg - 14" handle.



ABC5BFB - 5 lb / 2.25kg - 12" handle



ABC5BF - 5 lb / 2.25kg - 14" handle





Brass SLEDGE HAMMERS

Our brass hammer line is the most durable hammer we offer.

Our Brass Hammers

are the most durable hammers we offer and should always be used in place of steel hammers in any metal working application. Our non-marring soft brass head helps absorb impact and helps reduce or eliminates work damage. They are non-sparking for safe use near combustible materials.

Tennessee Hickory Handles


provide exceptional strength, ergonomics, balance and shock absorption. Our wood handles are specially tapered, fire finished, lacquered and have a non-slip safety grip.




ABC8BW - 8 lb / 3.60kg - 32" handle



ABC10BW - 10 lb / 4.50kg - 32" handle



ABC12BW - 12 lb / 5.40kg - 32" handle



ABC14BW - 14 lb / 6.30kg - 32" handle



ABC20BW - 20 lb / 9.0kg - 32" handle

Sledge Hammers are also available in Bronze/Copper. Please see page 9.




Brass SLEDGE HAMMERS

Our brass hammer line is the most durable hammer we offer.

Fiberglass Handles

provide exceptional breaking resistance to overstrikes, are long-lasting and are colored in high-visibility yellow. Our fiberglass handles have a non-slip safety grip.



ABC8BF - 8 lb / 3.60kg - 33" handle



ABC10BF - 10 lb / 4.50kg - 33" handle



ABC12BF - 12 lb / 5.40kg - 33" handle



ABC14BF - 14 lb / 6.30kg - 33" handle



ABC20BF - 20 lb / 9.0kg - 33" handle

Sledge Hammers are also available in Bronze/Copper. Please see page 9.





Brass DRILLING & CUT-OFF HAMMERS

Our brass hammer line is the most durable hammer we offer.

Fiberglass Handles

provide exceptional breaking resistance to overstrikes, are long-lasting and are colored in high-visibility yellow. Our fiberglass handles have a non-slip safety grip.

Our Brass Hammers are the most durable hammers we offer and should always be used in place of steel hammers in any metal working application. Our non-marring soft brass head helps absorb impact and helps reduce or eliminates work damage. They are non-sparking for safe use near combustible materials.



ABC2BFS - 2 lb / 0.90kg - 8" handle



ABC3BFS - 3 lb / 1.35kg - 8" handle



ABC4BFS - 4 lb / 1.80kg - 8" handle



ABC5BFS - 5 lb / 2.25kg - 8" handle



ABCWBW - 2.5 lb / 1.10kg - 12" handle

Drilling and Cutoff Hammers are also available in Bronze/Copper. Please see page 9.

Brass Hammer Specifications

Our brass hammer line is the most durable hammer we offer.

Brass Striking Hammers

ITEM #:	WEIGHT [LBS/KG]	HANDLE	HANDLE LENGTH
ABC1BW	1.0 lbs/0.45 kg	Wood	10"/254mm
ABC2BW	2.0 lbs/0.90 kg	Wood	12.5"/317mm
ABC3BW	3.0 lbs/1.35 kg	Wood	12.5"/317mm
ABC4BW	4.0 lbs/1.80 kg	Wood	15"/381mm
ABC5BW	5.0 lbs/2.25 kg	Wood	15"/381mm
ABC2BFB	2.0 lbs/0.90 kg	Fiberglass	12"/305mm
ABC2BF	2.0 lbs/0.90 kg	Fiberglass	14"/355mm
ABC3BFB	3.0 lbs/1.35 kg	Fiberglass	12"/305mm
ABC3BF	3.0 lbs/1.35 kg	Fiberglass	14"/355mm
ABC4BFB	4.0 lbs/1.80 kg	Fiberglass	12"/305mm
ABC4BF	4.0 lbs/1.80 kg	Fiberglass	14"/355mm
ABC5BFB	5.0 lbs/2.25 kg	Fiberglass	12"/305mm
ABC5BF	5.0 lbs/2.25 kg	Fiberglass	14"/355mm

Brass Sledge Hammers

ITEM #:	WEIGHT [LBS/KG]	HANDLE	HANDLE LENGTH
ABC8BW	8.0 lbs/3.60 kg	Wood	32"/812mm
ABC10BW	10.0 lbs/4.50 kg	Wood	32"/812mm
ABC12BW	12.0 lbs/5.40 kg	Wood	32"/812mm
ABC14BW	14.0 lbs/6.30 kg	Wood	32"/812mm
ABC20BW	20.0 lbs/9.00 kg	Wood	32"/812mm
ABC8BF	8.0 lbs/3.60 kg	Fiberglass	33"/838mm
ABC10BF	10.0 lbs/4.50 kg	Fiberglass	33"/838mm
ABC12BF	12.0 lbs/5.40 kg	Fiberglass	33"/838mm
ABC14BF	14.0 lbs/6.30 kg	Fiberglass	33"/838mm
ABC20BF	20.0 lbs/9.00 kg	Fiberglass	33"/838mm

Brass Drilling Hammers

ITEM #:	WEIGHT [LBS/KG]	HANDLE	HANDLE LENGTH
ABC2BFS	2.0 lbs/0.90 kg	Fiberglass	8"/203mm
ABC3BFS	3.0 lbs/1.35 kg	Fiberglass	8"/203mm
ABC4BFS	4.0 lbs/1.80 kg	Fiberglass	8"/203mm
ABC5BFS	5.0 lbs/2.25 kg	Fiberglass	8"/203mm

Brass Cut-Off Hammers

ITEM #:	WEIGHT [LBS/KG]	HANDLE	HANDLE LENGTH
ABCWBW	2.5 lbs/1.10 kg	Wood	12"/304mm





Bronze/Copper HAMMERS

Our Bronze/Copper line is the softest face hammer we offer.

Our Bronze/Copper

line is the softest face hammer we offer and should be used where surface protection is critical. Our Bronze/Copper hammers will not mar harder metals and are safe for industries and applications that require non-sparking implements. Consult the chart on page 9 for more information on the Bronze/Copper hammers. Other special alloys are available on request.



Striking Hammers



Sledge Hammers



Drilling Hammers



Cut-Off Hammers

Bronze/Copper Hammer Specifications

Our Bronze/Copper line is the softest face hammer we offer.

Bronze/Copper Striking Hammers

ITEM #:	WEIGHT [LBS/KG]	HANDLE	HANDLE LENGTH
ABC1BZW	1.0 lbs/0.45 kg	Wood	10"/254mm
ABC2BZW	2.0 lbs/0.90 kg	Wood	12.5"/317mm
ABC3BZW	3.0 lbs/1.35 kg	Wood	12.5"/317mm
ABC4BZW	4.0 lbs/1.80 kg	Wood	15"/381mm
ABC5BZW	5.0 lbs/2.25 kg	Wood	15"/381mm
ABC2BZFB	2.0 lbs/0.90 kg	Fiberglass	12"/305mm
ABC2BZF	2.0 lbs/0.90 kg	Fiberglass	14"/355mm
ABC3BZFB	3.0 lbs/1.35 kg	Fiberglass	12"/305mm
ABC3BZF	3.0 lbs/1.35 kg	Fiberglass	14"/355mm
ABC4BZFB	4.0 lbs/1.80 kg	Fiberglass	12"/305mm
ABC4BZF	4.0 lbs/1.80 kg	Fiberglass	14"/355mm
ABC5BZFB	5.0 lbs/2.25 kg	Fiberglass	12"/305mm
ABC5BZF	5.0 lbs/2.25 kg	Fiberglass	14"/355mm

Bronze/Copper Sledge Hammers

ITEM #:	WEIGHT [LBS/KG]	HANDLE	HANDLE LENGTH
ABC8BZW	8.0 lbs/3.60 kg	Wood	32"/812mm
ABC10BZW	10.0 lbs/4.50 kg	Wood	32"/812mm
ABC12BZW	12.0 lbs/5.40 kg	Wood	32"/812mm
ABC14BZW	14.0 lbs/6.30 kg	Wood	32"/812mm
ABC20BZW	20.0 lbs/9.00 kg	Wood	32"/812mm
ABC8BZF	8.0 lbs/3.60 kg	Fiberglass	33"/838mm
ABC10BZF	10.0 lbs/4.50 kg	Fiberglass	33"/838mm
ABC12BZF	12.0 lbs/5.40 kg	Fiberglass	33"/838mm
ABC14BZF	14.0 lbs/6.30 kg	Fiberglass	33"/838mm
ABC20BZF	20.0 lbs/9.00 kg	Fiberglass	33"/838mm

Bronze/Copper Drilling Hammers

ITEM #:	WEIGHT [LBS/KG]	HANDLE	HANDLE LENGTH
ABC2BZFS	2.0 lbs/0.90 kg	Fiberglass	8"/203mm
ABC3BZFS	3.0 lbs/1.35 kg	Fiberglass	8"/203mm
ABC4BZFS	4.0 lbs/1.80 kg	Fiberglass	8"/203mm
ABC5BZFS	5.0 lbs/2.25 kg	Fiberglass	8"/203mm

Bronze/Copper Cut-Off Hammers

ITEM #:	WEIGHT [LBS/KG]	HANDLE	HANDLE LENGTH
ABCWBZW	2.5 lbs/1.10 kg	Wood	12"/304mm





Features & Benefits

All of our hammers feature:

NON-SPARKING HEAD

For safe use near combustible materials.

NON-MARRING HEAD

Helps absorb impact and helps reduce work damage where surface protection is critical.

DOUBLE FACED HEAD

Cast barrel shaped head offers maximum striking surface while enhancing balance.

WOOD HANDLES

Our Tennessee grade-A Hickory handles are specially tapered, fire finished, with a tough urethane coating applied, providing better durability and UV protection. They have a textured handle providing a non-slip grip while striking.

FIBERGLASS HANDLES

Our fiberglass handles are high visibility yellow in color and are ergonomically designed to help prevent injury from repeated use. Cushion grips provide a non-slip grip and maximum comfort while striking. Shoulder protector design prevents breaking during overstrikes.

BRASS WEDGES

The ABC brass wedge permanently secures the head to the handle and eliminates the spark danger associated with steel wedges used in other hammers.

Proudly Made
In The USA



Applications

ABC Hammers, Inc. is the leading manufacturer of non-sparking, non-marring, non-magnetic and corrosion-resistant striking hammers. They are specifically designed and manufactured from special brass, bronze and other alloys for safe use in and where hazardous, flammable, or combustible vapors, liquids, dusts or residues may be present. In addition, our hammers should be used in place of steel hammers in any application where surface protection is critical because of their non-marring attributes which include the reduction or elimination of work damage. ABC Hammers should be used by all industrial safety programs and are an inexpensive investment for your company.

ABC Hammers are intended for use in the industries listed to the right because of their non-sparking, non-marring, non-magnetic and corrosion-resistant attributes:

Making your workplace safer is as easy as ABC... using non-sparking ABC Hammers in any high risk area where a spark can create a disaster.

Among the industries we proudly serve:

- Aerospace
- Agriculture
- Aircraft
- Airports (Refueling & Maintenance)
- Armed Forces
- Assembly Operations
- Auto Body Repair
- Automotive Plants
- Chemical Manufacturing
- Confined Space Maintenance
- Construction
- Flammable Materials Manufacturing
- Furniture Manufacturing
- Gas Plants
- Grain Storage & Handling
- Hazmat Handling
- MRO
- Machine Shops
- Metal Fabrication
- Millwright Work
- Mining
- Oil and Gas Drilling & Refining
- Pipeline Construction & Maintenance
- Propane Distribution
- Public Utilities
- Railroads
- Shipyards
- Tanker Trucks
- Tool & Die Making
- Waste Management
- Water Treatment Facilities






Dead Blow HAMMERS - STANDARD

Our dead blow hammer line sets a new standard for soft face performance.

Our Dead Blow Hammers are a one piece, hot cast polyurethane construction, engineered to perform better and outlast rawhide, rubber, lead and other plastic type hammers by 10-20 times. Utilizing the benefits of polyurethane technology, no other plastic or rubber materials currently used can result in a stronger, longer lasting dead blow hammer.



ABC2DB - 1.6 lb / 0.74kg - Overall Length 12.75"



ABC3DB - 2.8 lb / 1.28kg - Overall Length 14.375"



ABC4DB - 3.3 lb / 1.50kg - Overall Length 15.25"

Dead Blow HAMMERS - SLEDGE

Our dead blow hammer line sets a new standard for soft face performance.




ABC7DB - 5.5 lb / 2.49kg - Overall Length 20"



ABC10DB - 9.0 lb / 4.08kg - Overall Length 30"



ABC12DB - 10.5 lb / 4.76kg - Overall Length 30"



ABC14DB - 12.0 lb / 5.44kg - Overall Length 36"





Dead Blow Features & Benefits

All of our DEAD BLOW hammers feature:

HOT CAST POLYURETHANE CONSTRUCTION

Our dead blow hammers are a one piece, hot cast polyurethane construction, engineered to perform better and outlast rawhide, rubber, lead and other plastic type hammers by 10-20 times. Utilizing the benefits of polyurethane technology, no other plastic or rubber materials currently used can result in a stronger, longer lasting dead blow hammer.

STEEL SHOT FILLED CANISTER

Steel shot filled canister creates a dead blow effect for sustained impact, maximum force and power, reduces or eliminates rebound and absorbs the shock on impact. The free flowing shot concentrates the intensity of the hammer strike and increases striking force by up to 40 percent. It also absorbs the blow minimizing bounce back, reducing fatigue and the risk of injury, and improving productivity.

POLYURETHANE CONVEX STRIKING FACE

Convex faces on heads resist chipping, splitting and are cut resistant. They are designed to withstand severe striking applications. The heads provide a non marring contact surface that eliminates or minimizes denting, marring and damage to struck objects.

STEEL REINFORCED POLYURETHANE HANDLE

Handles have a heat treated steel reinforced rod that provides added strength and safety by resisting breaking on overstrikes. The handle is fully encased in hot cast custom formulated polyurethane. The comfort design handle absorbs shock, ensures comfort and has a slip-resistant grip along with a flared end which helps prevent the hammer from slipping.

NON-SPARKING, NON-MARRING AND CHEMICAL RESISTANT

Our dead blow hammers are completely encased with unique polyurethane which eliminates any exposed metal making them spark-resistant for safe use near combustible materials. This specially formulated polyurethane resists most oil, solvents and chemicals. They are also non-marring making them the perfect tool for virtually any hammering application.

HIGH VISIBILITY

High visibility "Red" color makes them easier and quicker to spot on the job.

Proudly Made in the USA



Dead Blow Hammer Specifications



Dead Blow Hammers - Standard

ITEM #:	WEIGHT [LBS/KG]	FACE DIAMETER	HANDLE LENGTH
ABC2DB	1.6 lbs/0.74kg	2.00"	10.5"
ABC3DB	2.8 lbs/1.28kg	2.25"	12.0"
ABC4DB	3.3 lbs/1.50kg	2.75"	12.5"

Dead Blow Hammers - Sledge

ITEM #:	WEIGHT [LBS/KG]	FACE DIAMETER	HANDLE LENGTH
ABC7DB	5.5 lbs/2.49kg	2.75"	16.5"
ABC10DB	9.0 lbs/4.08kg	2.75"	26"
ABC12DB	10.5 lbs/4.76kg	3.25"	26"
ABC14DB	12.0 lbs/5.44kg	3.25"	32"



Applications/Industries:

- Agriculture
- Aircraft Maintenance
- Assembly Work
- Automotive
- Custom Fabrication
- Construction
- Electrical
- Fire/Public Safety
- Foundry Operations
- Grain Elevators
- HVAC
- Heavy Duty Truck & Equipment
- Landscaping
- Log/Timber Home Building
- Machine Shop
- Machinery Repair
- Marine
- Motorcycle Shop
- Pipeline/Oil Field
- Plumbing
- Railroads
- Shipyards
- Tractor/Farm Equipment
- Waste Treatment Plants

And numerous others.....



ABC Hammers, Inc.
10330 W. Roosevelt Road
Suite 309
Westchester, IL 60154
Phone 708.343.9900
Toll Free 855.343.9900
www.abchammers.com



Lifetime Warranty: ABC Hammers, Inc. warrants its hammers to be defect free in workmanship and materials for the useful life of the product. This warranty does not apply to any defects or problems caused in whole or part by misuse, abuse, alteration, worn out by use, or damage due to ordinary wear and tear. Replacement is the exclusive remedy and ABC Hammers, Inc. makes no other warranties, express or implied, with respect to the hammers or their suitability for specific applications.